

( ) RENEWAL

ULSTER COUNTY DEPARTMENT OF HEALTH  
ENVIRONMENTAL HEALTH SERVICES  
239 GOLDEN HILL LANE  
KINGSTON, NY 12401

(X) FORMERLY: Kylene N. Thomas

PERMIT TO CONSTRUCT A WASTE DISPOSAL SYSTEM

THIS PERMIT IS ISSUED UNDER THE PROVISIONS OF ARTICLE VI, SECTION 6.4.0 OF THE ULSTER COUNTY SANITARY CODE. **PERMITS ARE NON-TRANSFERABLE.**

This Permit is Valid for a *Two Year* Period – Date of Issuance: 11/05/2021

1. APPLICANT

James Senecal

2. ADDRESS OF APPLICANT

c/o Rex Sanford, P.E.  
PO Box 92  
Shokan, NY 12481

3. LOCATION OF PROJECT

87 Mountain Road

4. TOWNSHIP

Olive

5. TYPE OF OWNERSHIP

Single Family - 3 bedroom

6. TAX IDENTIFICATION NUMBER

37.018-2-4

DESCRIPTION OF WORKS

INSTALLATION OF: System Type: Shallow Absorption Trenches

Minimum separation of the absorption field 100 feet from well, (150 feet if seepage pit), 100 feet from a stream or water course, and 10 feet from the property line.

All systems shall be designed / constructed in conformance with all applicable rules and regulations. (Appendix 75-A “Wastewater Treatment Standards – Individual Household Systems”, latest revision and / or DEC Design Standards for Wastewater Treatment Works, latest revision.)

Well log to be submitted prior to final approval.

Well construction to be in accordance with Appendix 5-B, Standards for Water Wells, November 23, 2005.

The sewage system must be installed in accordance with the plans submitted by Rex Sanford, P.E. and approved / accepted by this department on 8/12/2016. Revised on 10/4/2021.

A New York State Licensed P.E., Architect, or Exempt Land Surveyor must certify that the sewage system has been installed in accordance with the approved / accepted plan.

*Carol M. Smith, M.D., M.P.H.*  
Commissioner of Health

21-454

MB

2014

cc: NYC WATERSHED - (X) Ashokan, ( ) Delaware, ( ) Rondout/Neversink

FULLY DELEGATED ( )

JOINT REVIEW AND APPROVAL (X)

*T. Senecal, P.E.* *Carol M. Smith, M.D., M.P.H.* 11/5/21